

Q-NUT STANDARD




Body: **Steel**
Zinc plated
Flat head
Open end







Hülse: **Stahl**
Verzinkt
Flachkopf
Offen



Cuerpo: **Acero**
Cincado
Cabeza ancha
Abierta



d	D	L	 min - max		dk	k			code
	Ø		mm	mm	Ø	max.	[Nm]	[N]	
	mm	mm			mm	mm			
M3	4.9	10.0	0.5 - 3.0	Ø5.0	6.5	1.0	1.2	4000	02ST01F0301
M4	5.9	10.0	0.5 - 3.0	Ø6.0	8.5	1.0	3.0	6800	02ST01F0401
M4	5.9	12.0	3.1 - 4.0	Ø6.0	8.5	1.0	3.0	6800	02ST01F0402
M5	6.9	12.0	0.5 - 3.0	Ø7.0	9.5	1.0	6.0	10000	02ST01F0501
M5	6.9	15.0	3.1 - 6.0	Ø7.0	9.5	1.0	6.0	10000	02ST01F0502
M6	8.9	14.5	0.5 - 3.0	Ø9.0	12.5	1.5	10.0	15000	02ST01F0601
M6	8.9	17.5	3.1 - 6.0	Ø9.0	12.5	1.5	10.0	15000	02ST01F0602
M8	10.9	16.0	0.5 - 3.0	Ø11.0	15.5	1.5	24.0	27000	02ST01F0801
M8	10.9	19.0	3.1 - 5.5	Ø11.0	15.5	1.5	24.5	27000	02ST01F0802
M10	12.9	17.0	1.0 - 3.5	Ø13.0	18.5	2.0	48.5	37000	02ST01F1001
M10	12.9	22.0	3.5 - 6.0	Ø13.0	18.5	2.0	48.0	37000	02ST01F1002
M12	15.9	23.0	1.0 - 4.0	Ø16.0	22.5	2.0	82.0	54000	02ST01F1201




Body: **Steel**
Zinc plated
Flat head
Closed end







Hülse: **Stahl**
Verzinkt
Flachkopf
Geschlossen



Cuerpo: **Acero**
Cincado
Cabeza ancha
Cerrada



d	D	L	 min - max		dk	k			code
	Ø		mm	mm	Ø	max.	[Nm]	[N]	
	mm	mm			mm	mm			
M4	5.9	16.5	0.5 - 3.0	Ø6.0	8.5	1.0	3.0	6800	02ST02F0401
M5	6.9	19.0	0.5 - 3.0	Ø7.0	9.5	1.0	6.0	10000	02ST02F0501
M6	8.9	22.0	0.5 - 3.0	Ø9.0	12.5	1.5	10.0	15000	02ST02F0601
M8	10.9	26.5	0.5 - 3.0	Ø11.0	15.5	1.5	24.0	27000	02ST02F0801
M10	12.9	37.0	1.0 - 3.5	Ø13.0	18.5	2.0	48.0	37000	02ST02F1001